

LED Bulb Series (球泡灯系列)

--LT-HPB-4W

【规格书】



Feature:

With super bright LED light source. This LED bulb provides cozy and gentle light without flashing or UV radiation. It's small-sized, easy to install, and looks nice. With milk white glass cover, good light permeation.

LED球泡灯特点:

LED球泡灯采用超高亮度的LED作为光源光色舒适, 无频闪, 无紫外线辐射, 造型美观大方.

球泡灯灯罩采用防爆仿磨砂玻璃罩, 透光好



CE

RoHS

ShenZhen LEDTEK Optoelectronics Technology Co., Ltd

ADD: 7th Floor, No. 2 building, 1 Liuxian Road, Block 67, Jia'an High Tech Industrial Park, Bao'an Shenzhen China 518102
TEL: 0755-26785388 FAX: 0755-26788290
E-mail: sales@ledtek.com.cn Http://www.ledtek.com.cn

● 深圳市镭泰光电科技有限公司

地址: 深圳市宝安区79区留仙一路甲岸科技园2号7楼
电话: 0755-26785388 传真: 0755-26788290
邮箱: sales@ledtek.com.cn Http://www.ledtek.com.cn



Application :

These series of lamps are widely used in shop,hotel,family decoration and replace of traditional bulb.

Remark :

1. It is Non-waterproof.
2. Rating Voltage: 85-264VAC are available.
3. Quantity of LED can design as per client requirement.

Basic Specification

Light Source	High-power LED
Color Temperature	Day light (6000K-7000K) Cool White (4000K-4500K) Warm White (3000K-3500K)
LifeSpan	*25,000Hours
Shell	Aluminium body/Glass Bulb

Operating Environment

Working Temperature	-20 °C to 50 °C
	Please make use of it in dry condition

Basic Electrical Specification

Input Voltage	85-264VAC
LED drive mode	Constant Current Mode

Beam Angle Specification

View Angle	180 degree
------------	------------



CE RoHS

* Tj=25 °

ShenZhen LEDTEK Optoelectronics Technology Co., Ltd

ADD:7th Floor, No.2 building, 1 Liuxian Road, Block 67, Jia'an High Tech Industrial Park, Bao'an Shenzhen China 518102
TEL:0755-26785388 FAX:0755-26788290
E-mail:sales@ledtek.com.cn Http://www.ledtek.com.cn

● 深圳市镭泰光电科技有限公司


地址:深圳市宝安67区留仙一路甲岸科技园2号7楼
电话:0755-26785388 传真:0755-26788290
邮箱:sales@ledtek.com.cn Http://www.ledtek.com.cn




Specification table

Part No.	Color Temperature	Initial lighting	Size	Wattage	Base
LT-HPB-4W	DayLight (6000k-7000k)	240	Ø60 X116mm	4W ± 10%	E27/E26/B22
LT-HPB-4W	CoolWhie (4000k-4500k)	225			
LT-HPB-4W	WoolWhie (3000k-3500k)	210			


Physical Dimension




Optoelectronic



Illumination the centre



Installation Illustration



CE RoHS

ShenZhen LEDTEK Optoelectronics Technology Co., Ltd

ADD: 7th Floor, No. 2 building, 1 Liuxian Road, Block 67, Jia'an High Tech Industrial Park, Bao'an Shenzhen China 518102
 TEL: 0755-26785388 FAX: 0755-26788290
 E-mail: sales@ledtek.com.cn Http://www.ledtek.com.cn


• 深圳市镭泰光电科技有限公司

地址: 深圳市宝安区71区留仙一路甲岸科技园2号7楼
 电话: 0755-26785388 传真: 0755-26788290
 邮箱: sales@ledtek.com.cn Http://www.ledtek.com.cn



Packing Specification

Individual Net Weigh	158g
Packing Qty	40pcs/box
Net weight	6.3kgs
Gross weight	8.3Kgs
Outside packing carton	410*330*300mm



ShenZhen LEDTEK Optoelectronics Technology Co., Ltd

ADD: 7th Floor, No. 2 building, 1 Liuxian Road, Block 67, Jia'an High Tech Industrial Park, Bao'an Shenzhen China 518102
TEL: 0755-26785388 FAX: 0755-26788290
E-mail: sales@ledtek.com.cn Http://www.ledtek.com.cn

● 深圳市镭泰光电科技有限公司

地址: 深圳市宝安区67区留仙一路甲岸科技园2号7楼
电话: 0755-26785388 传真: 0755-26788290
邮箱: sales@ledtek.com.cn Http://www.ledtek.com.cn

