

## LED Bulb Series (球泡灯系列)

### Feature:

With super bright LED light source. This LED bulb provides cozy and gentle light without flashing or UV radiation. It's small-sized, easy to install. With milk white glass cover, good light permeation.

### LED球泡灯特点:

LED球泡灯采用超高亮度的LED作为光源光色舒适, 无频闪, 无紫外线辐射, 造型美观大方

球泡灯灯罩采用防爆仿磨砂玻璃罩, 透光好


## LT-HPB-5W-S




Up to 80% energy cost savings



Incandescent  
Max 60W  
1,000 hrs



LED Bulb  
5W  
25,000 hrs



### ShenZhen LEDTEK Optoelectronics Technology Co., Ltd

ADD: 7th Floor, No. 2 building, 1 Liuxian Road, Block 67, Jia'an High Tech Industrial Park, Bao'an Shenzhen China 518102  
TEL: 0755-26785388 FAX: 0755-26788290  
E-mail: sales@ledtek.com.cn Http://www.ledtek.com.cn

### ● 深圳市镭泰光电科技有限公司

地址: 深圳市宝安区留仙一路甲岸科技园2号7楼  
电话: 0755-26785388 传真: 0755-26788290  
邮箱: sales@ledtek.com.cn Http://www.ledtek.com.cn



# Product Specification

## Application :

These series of lamps are widely used in shop,hotel,family decoration and replace of traditional bulb.

## Remark:

1. It is Non-waterproof.
2. Rating Voltage: 85-264VAC are available.
3. Quantity of LED can design as per client requirement.

## Basic Specification

Light Source	5050 SMD LED
Color Temperature	Daylight (6000K-7000K) CoolWhite (4000K-4500K) WarmWhite(3000K-3500K)
LifeSpan	*25,000Hours
Shell	Aluminium body/Glass Bulb

## Operating Environment

Working Temperature	-20° C to 50° C
	Please make use of it in dry condition

## Basic Electrical Specification

Input Voltage	85-264V AC
LED drive mode	Constant Current Mode

## Beam Angle Specification

View Angle	180 degree
------------	------------



CE RoHS

\* Tj=25°

### ShenZhen LEDTEK Optoelectronics Technology Co., Ltd

ADD:7th Floor, No. 2 building, 1 Liuxian Road, Block 67, Jia'an High Tech Industrial Park. Bao'an Shenzhen China 518102  
TEL:0755-26785388 FAX:0755-26788290  
E-mail:sales@ledtek.com.cn Http://www.ledtek.com.cn

### ● 深圳市镭泰光电科技有限公司

地址: 深圳市宝安区71区留仙一路甲岸科技园2号7楼  
电话: 0755-26785388 传真: 0755-26788290  
邮箱: sales@ledtek.com.cn Http://www.ledtek.com.cn




# Product Specification




## Specification table

Part No.	Color Temperature	Initial Lighting	LED Type	Size	Wattage	Base
LT-HPB-5W-S-DW	DayLight(6000-7000k)	320LM	5050 SMD LED	Φ60 X 116mm	5W ± 10%	E27/E26/B22
LT-HPB-5W-S-CW	CoolWhite(4000-4500k)	310LM				
LT-HPB-5W-S-WW	WarmWhite(3000-3500k)	300LM				


## Physical Dimension




## Illumination the centre



## Optoelectronic



## Installation Illustration



### ShenZhen LEDTEK Optoelectronics Technology Co., Ltd

ADD: 7th Floor, No. 2 building, 1 Liuxian Road, Block 67, Jia'an High Tech Industrial Park, Bao'an Shenzhen China 518102  
 TEL: 0755-26785388 FAX: 0755-26788290  
 E-mail: sales@ledtek.com.cn Http://www.ledtek.com.cn


### ● 深圳市镭泰光电科技有限公司

地址: 深圳市宝安区71区留仙一路甲岸科技园2号7楼  
 电话: 0755-26785388 传真: 0755-26788290  
 邮箱: sales@ledtek.com.cn Http://www.ledtek.com.cn



## Packing Specification

Individual Net Weigh	163g
Packing Qty	40pcs/box
Net weight	6. 5kgs
Gross weight	8. 5Kgs
Outside packing carton	410*330*300mm



### ShenZhen LEDTEK Optoelectronics Technology Co., Ltd

ADD: 7th Floor, No. 2 building, 1 Liuxian Road, Block 67, Jia'an High Tech Industrial Park, Bao'an Shenzhen China 518102  
TEL: 0755-26785388 FAX: 0755-26788290  
E-mail: sales@ledtek.com.cn Http://www.ledtek.com.cn

### ● 深圳市镭泰光电科技有限公司

地址: 深圳市宝安区留仙一路甲岸科技园2号7楼  
电话: 0755-26785388 传真: 0755-26788290  
邮箱: sales@ledtek.com.cn Http://www.ledtek.com.cn

